

*OK to enter 3/24/10*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:  
VORSENO ET AL.

Serial No. 10/338,013

Classification No. 9881

Filing Date: June 7, 2005

For: AUTOMATED PALLET INSPECTION  
AND REPAIR

Examiner: OMGBA

Art Unit: 3726

Attorney Docket No.  
63242

COMMENTARY AFTER FINAL

US Amendment.  
Commissioner for Patents  
P.O. Box 1456  
Alexandria, VA 22313-1456

Sir:

Responsive to the final Official Action of November 14,  
2009, please enter the remarks set out below.

*OK to  
enter  
90 3/24/10*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

To the Patent Application of  
**ROMANUS ET AL.**

Serial No. 10/532,015

Confirmation No. 8881

Filing Date: June 7, 2005

For: **AUTOMATED PALATE INSPECTION  
AND REPAIR**

Examiner: **ONGER**

Art Unit: **3726**

Attorney Docket no.  
**43742**

SECOND AMENDMENT AFTER FINAL

US Amendment.

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Six.

Responsive to the Advisory Action of January 28, 2010  
and the final Official Action of November 12, 2008, please enter  
the amendments and remarks set out below. No new issues are being  
raised by this amendment.